

FAÇADE PLATFORM



Designed for the reception of palletized loads from a lifting device.

Bases manufactured with UPN profile. They have anchors for prop support.

2 hooks on each side for lifting and placement on slabs.

FREE

PT





- 1 Collapsing front guardrail
- 2 Removable side guardrail
- 3 Hatch dimensions: 1000 x 700 mm

| COMPONENT                              | kg (max.) | WEIGHT (kg) | REFERENCE | A    | a    | B    | b    | C    |
|--|-----------|-------------|-----------|------|------|------|------|------|
| FIXED FAÇADE PLATFORM FREE 1200 kg     | 1200      | 110         | 100100212 | 2400 | 1250 | 1600 | 1525 | 1150 |
| FAÇADE PLATFORM W/TRAPDOOR FREE 1200kg | 1200      | 124         | 100100222 | 2400 | 1250 | 1600 | 1525 | 1150 |

DAC

PT



- 1 Collapsible front guardrail
- 2 Foldable side guardrail
- 3 Hatch dimensions: 980 x 810 mm

| COMPONENT                             | kg (max.) | WEIGHT (kg) | REFERENCE | A    | a    | B    | b    | C    |
|---------------------------------------|-----------|-------------|-----------|------|------|------|------|------|
| FIXED FAÇADE PLATFORM DAC 1500 kg     | 1500      | 181         | 100100015 | 3000 | 1525 | 1900 | 1790 | 1150 |
| FAÇADE PLATFORM W/TRAPDOOR DAC 1500kg | 1500      | 203         | 100100025 | 3000 | 1525 | 1900 | 1790 | 1150 |
| GUARDRAIL FOR DAC FAÇADE PLATFORM     | -         | 15.4        | 100150015 | -    | -    | -    | -    | 1000 |

**FAÇADE PLATFORM**

**DCM**


UNE 180401

PT  
GA

fixed



hatch



- Removeable guardrails 1
- Collapsible front guardrail 2
- Tilting front guardrail 3
- Hatch dimensions: 1000 x 810 mm 4

| COMPONENT                                   | kg (max.) | WEIGHT (kg) | REFERENCE | A    | a    | B    | b    | C    |
|---|-----------|-------------|-----------|------|------|------|------|------|
| FIXED FAÇADE PLATFORM DCM 1500 kg           | 1500      | 195         | 100100112 | 3000 | 1500 | 1900 | 1800 | 1100 |
| FIXED FAÇADE PLATFORM DCM 1500 kg (GA)      | 1500      | 195         | 100100119 | 3000 | 1500 | 1900 | 1800 | 1100 |
| FAÇADE PLATFORM W/TRAPDOOR DCM 1500 kg      | 1500      | 217         | 100100122 | 3000 | 1500 | 1900 | 1800 | 1100 |
| FAÇADE PLATFORM W/TRAPDOOR DCM 1500 kg (GA) | 1500      | 217         | 100100129 | 3000 | 1500 | 1900 | 1800 | 1100 |

**CP+**


UTILITY MODEL No. ES1066234U - UNE 180401

PT

fixed



HEB profile and side rail fixation




- Removeable profile HEB100 1
- Permanent front and side railings  
Removeable for transport 2
- Largest discharge area: 2.56x1.5 m  
For bulky loads: plasterboard plates 3


| COMPONENT                         | Kg (max.) | WEIGHT (kg) | REFERENCE | A    | a    | B    | b    | C    |
|-----------------------------------|-----------|-------------|-----------|------|------|------|------|------|
| FIXED FAÇADE PLATFORM CP+ 1500 kg | 1500      | 292         | 100100310 | 3000 | 1500 | 2800 | 2560 | 1100 |

## SEQUENCE FOR USING THE FAÇADE PLATFORMS


- 1 Platform in cable transit position.



- 2 Waiting position for load reception



- 3 Positioning of palletted load.



- 4 Withdrawal of load and lifting device.

