

PLASTIC MORTAR TUB

CPG

Handles ZN

Base PT




for crane

wheel EI optional



- Manufactured from high density polystyrene.
- Ergonomic handle design.
- Tub is easily stacked and cleaned.




COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
PLASTIC MORTAR TUB CPG 200 L	200	440	14	010100311
PLASTIC MORTAR TUB BASE CPG (no wheels)	-	1500	8.5	010100324

A	B	C
650	1075	500
500	840	135

SKIP



- Piece of equipment used to quickly and easily collect and transport debris and aggregate.
- The product has 4 handles for performing transport and lifting operations using a 4-strand sling.




COMPONENT	kg (max.)	WEIGHT (kg)	REFERENCE
DEBRIS SKIP 1.5 x 1.5 x 0.3 m 1000 kg	1000	85	010600015

A	B	C
300	1500	1500

TOOL BOX



- Piece of equipment designed to easily, quickly and safely store and/or transport tools and construction equipment.
- The product has a foldable upper lid with safety lock.
- Totally airtight and impermeable.
- Its 4 side handles allow it to be transported by a crane using a 4-strand sling.



COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
TOOL BOX 650 x 1800 x 600	425	500	82	010600031

INTERIOR - EXTERIOR		
A	B	C
1700-1800	500-650	500-600

STEEL MORTAR SKIP


Manufactured with a high-resistance steel plate. Can be manipulated using a forklift and/or crane.

PT

A-50D



- Its 4 handles allow for lifting using a 4-strand sling.




COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
BOAT SKIP A-50D 500 L	500	1000	100	010100091
BOAT SKIP A-200D 2000 L	2000	4000	550	010100096

A	B	C	D
600	1280	980	380
946	1970	1412	530

DCM



- The product has handles for lifting by slings and crane.
- Its conical shape makes it easier to transport and store.




COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
STEEL MORTAR SKIP DCM 300 L	300	700	49	010100015
STEEL MORTAR SKIP DCM 500 L	500	1200	70	010100085

A	B	C	D
630	750	1200	620
630	1200	1200	630

FREE



- The product has 2 handles to be lifted by a 2-strand sling.
- Its conical shape makes it easier to transport and store.



COMPONENT	L max.)	kg (max.)	WEIGHT (kg)	REFERENCE
STEEL MORTAR SKIP FREE 280 L	280	500	32	010100102

A	B	C	D
550	1100	670	625


## STEEL MORTAR SKIP

PT

### FR



- The product has 4 handles for performing transport and lifting operations using a 4-strand sling.
- It also has a hook at the bottom for emptying operations.




COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
STEEL MORTAR SKIP FR 360 L	360	900	64	010101364
STEEL MORTAR SKIP FR 500 L	500	1200	75	010101504

A	B	C	D
375	1220	1275	920
492	1300	1284	920

### M50



- Its 4 handles allow for lifting using a 4-strand sling.



COMPONENT	L (max.)	kg (max.)	WEIGHT (kg)	REFERENCE
STEEL MORTAR SKIP M50 500 L	500	1100	55	010100071

A	B	C	D
600	1170	1260	710

## CHAINS AND SLINGS

EN CE

Lifting accessories designed to secure loads to the hook of a crane or another piece of lifting equipment.

ZN

PT

### 1 EN 818



- Ring of Ø65 mm and 14 mm thick.
- With 3 x 6 mm chains and hooks with safety latch.

### 2 EN 13414-1



- 2 x steel 6x19+1 cable slings of Ø8 mm with thimbles at all 4 ends.
- 1.5 t eye hooks.

### 3 EN 1492-1



- Polyester sling with UV-resistant polyurethane.
- Hook with safety latch.

	COMPONENT	kg (max.)	STRAND (m)	WEIGHT (kg)	REFERENCE
1	SET OF 3 HOOK CHAINS 750 kg	750	0.6	1.8	010200510
2	SET OF SLINGS FOR DEBRIS SKIP (2 X 2 G) 2200 kg	2200	1.4	4.5	010200410
3	POLYESTER SLING W/HOOK (RADIO-CONTROL) 1H.3000kg	3000	0.7	2.7	010200400